

Speaker System:	TTM129x3			Date:	1/8/2004	
Tuned by:	BSS366			<i>S. Opie</i>		
Parameter	Input A	Input B	Input A+B			
Input Delay						
Input EQ1 Type						
Input EQ1 Frequency						
Input EQ1 +/-						
Input EQ1 Bandwidth						
Input EQ2 Type						
Input EQ2 Frequency						
Input EQ2 +/-						
Input EQ2 Bandwidth						
Input EQ3 Type						
Input EQ3 Frequency						
Input EQ3 +/-						
Input EQ3 Bandwidth						
Input EQ4 Type						
Input EQ4 Frequency						
Input EQ4 +/-						
Input EQ4 Bandwidth						
Parameter	Output 1	Output 2	Output 3	Output 4	Output 5	Output 6
Output Name	LOW	HI	LOW	HI	LOW	HI
Output Source	A	A	A	A	A	A
Output Gain	0	-10.5	0	-10.5	0	-10.5
Output Limit	20	20	20	20	20	20
Output Delay	0.115	0	0.115	0	0.115	0
Output Delay Link	OFF	OFF	OFF	OFF	OFF	OFF
Polarity	Norm	Norm	Norm	Norm	Norm	Norm
Output Lo Shape	BUT24	BUT24	BUT24	BUT24	BUT24	BUT24
Output Lo Frequency	41.2	1.27k	41.2	1.27k	41.2	1.27k
Output Hi Shape	BUT24	L-R 24	BUT24	L-R 24	BUT24	L-R 24
Output Hi Frequency	1.0k	OUT	1.0k	OUT	1.0k	OUT
Output EQ1 Type	BELL	BELL	BELL	BELL	BELL	BELL
Output EQ1 Frequency	91.5	1.62k	91.5	1.62k	91.5	1.62k
Output EQ1 +/-	7	-3.8	7	-3.8	7	-3.8
Output EQ1 Bandwidth	0.7	0.25	0.7	0.25	0.7	0.25
Output EQ2 Type	BELL	BELL	BELL	BELL	BELL	BELL
Output EQ2 Frequency	341.6	3.6K	341.6	3.6K	341.6	3.6K
Output EQ2 +/-	-4	-5	-4	-5	-4	-5
Output EQ2 Bandwidth	0.7	0.2	0.7	0.2	0.7	0.2
Output EQ3Type		BELL		BELL		BELL
Output EQ3 Frequency		6.06k		6.06k		6.06k
Output EQ3 +/-		-1.6		-1.6		-1.6
Output EQ3 Bandwidth		0.2		0.2		0.2
Output EQ4 Type		BELL		BELL		BELL
Output EQ4 Frequency		10.92k		10.92k		10.92k
Output EQ4 +/-		6		6		6
Output EQ4 Bandwidth		0.3		0.3		0.3