

Speaker System:	TTM149v1			Date:	1/8/2004	
Tuned by:	BSS366			<i>S. Opie</i>		
Parameter	Input A	Input B	Input A+B			
Input Delay						
Input EQ1 Type						
Input EQ1 Frequency						
Input EQ1 +/-						
Input EQ1 Bandwidth						
Input EQ2 Type						
Input EQ2 Frequency						
Input EQ2 +/-						
Input EQ2 Bandwidth						
Input EQ3 Type						
Input EQ3 Frequency						
Input EQ3 +/-						
Input EQ3 Bandwidth						
Input EQ4 Type						
Input EQ4 Frequency						
Input EQ4 +/-						
Input EQ4 Bandwidth						
Parameter	Output 1	Output 2	Output 3	Output 4	Output 5	Output 6
Output Name	LOW	HI	LOW	HI	LOW	HI
Output Source	A	A	A	A	A	A
Output Gain	2	-12	2	-12	2	-12
Output Limit	20	20	20	20	20	20
Output Delay	0	0.125	0	0.125	0	0.125
Output Delay Link	OFF	OFF	OFF	OFF	OFF	OFF
Polarity	Norm	Norm	Norm	Norm	Norm	Norm
Output Lo Shape	BUT24	BUT24	BUT24	BUT24	BUT24	BUT24
Output Lo Frequency	45	1.41k	45	1.41k	45	1.41k
Output Hi Shape	BUT24	BUT24	BUT24	BUT24	BUT24	BUT24
Output Hi Frequency	1.0k	OUT	1.0k	OUT	1.0k	OUT
Output EQ1 Type	BELL	BELL	BELL	BELL	BELL	BELL
Output EQ1 Frequency	392	3.36k	392	3.36k	392	3.36k
Output EQ1 +/-	-4.6	-3.8	-4.6	-3.8	-4.6	-3.8
Output EQ1 Bandwidth	0.6	0.25	0.6	0.25	0.6	0.25
Output EQ2 Type	BELL	BELL	BELL	BELL	BELL	BELL
Output EQ2 Frequency	186	6.06k	186	6.06k	186	6.06k
Output EQ2 +/-	-3.4	-2	-3.4	-2	-3.4	-2
Output EQ2 Bandwidth	0.25	0.25	0.25	0.25	0.25	0.25
Output EQ3 Type	BELL	BELL	BELL	BELL	BELL	BELL
Output EQ3 Frequency	85.1	2k	85.1	2k	85.1	2k
Output EQ3 +/-	4	-1	4	-1	4	-1
Output EQ3 Bandwidth	1	0.2	1	0.2	1	0.2
Output EQ4 Type		BELL		BELL		BELL
Output EQ4 Frequency		14.4k		14.4k		14.4k
Output EQ4 +/-		9		9		9
Output EQ4 Bandwidth		1		1		1