


JBL

PROFESSIONAL

VTX SERIES
SYSTEM SOLUTIONS

VTX A12 | Preset Library



General Information

VTX A12 Preset Library

Version: R1.2

Distribution Date: 12/21/2017

Copyright © 2017 by Harman International; all rights reserved

JBL Professional

8500 Balboa Blvd

Northridge, CA 91329

USA

Preset Release History

Release 1.1:

- Initial VTX A12 Preset release

Release 1.2:

- Added the VTX A12W (120-degree version of the A12) to the preset library

Preset Name Description

- FL (FILL) = Preset nominal frequency response suitable for front fill use
- Full Range Presets = The full-range presets for **A12/A12W** extend the system frequency response down to **45Hz**
- 60 = Refers to a 60Hz high-pass or low-pass point
- 80 = Refers to a 80Hz high-pass or low-pass point
- REAR = Cardioid preset to be used for the rear facing subwoofer enclosure

Notes

- The most up to date versions of all VTX presets are always included in the latest version of JBL's Performance Manager™ software.
- Make sure the latest Crown Audio I-Tech HD firmware is used
- Arbitrary preset combinations can be created using JBL's HiQNet Performance Manager™ control software
- For more information on preset selection refer to the VTX A12 User Manual

Crown Audio I-Tech 4x3500HD


Device File: VTX A12 R1.2.0.I-TECH4x3500HD.Device



			CH 1	CH 2	CH 3	CH 4
VTX A12 FILL Presets						
VTX A12 FL	2	VTX A12 Fill, Full Range	A12 LF FL	A12 LF FL	A12 MF FL	A12 HF FL
VTX A12 FL 80	3	VTX A12 Fill, HPF: 80Hz	A12 LF FL 80	A12 LF FL 80	A12 MF FL 80	A12 HF FL 80
VTX A12W FL	4	VTX A12W Fill, Full Range	A12W LF FL	A12W LF FL	A12W MF FL	A12W HF FL
VTX A12W FL 80	5	VTX A12W Fill, HPF: 80Hz	A12W LF FL 80	A12W LF FL 80	A12W MF FL 80	A12W HF FL 80
VTX A12						
VTX A12	7	VTX A12 Preset for use in arrays, Full Range	A12 LF	A12 LF	A12 MF	A12 MF
VTX A12 80	8	VTX A12 Preset for use in arrays, HPF: 80Hz	A12 LF 80	A12 LF 80	A12 MF 80	A12 HF 80
VTX A12W	9	VTX A12W Preset for use in arrays, Full Range	A12W LF	A12W LF	A12W MF	A12W MF
VTX A12W 80	10	VTX A12W Preset for use in arrays, HPF: 80Hz	A12W LF 80	A12W LF 80	A12W MF 80	A12W HF 80
VTX S28						
VTX S28 60	12	VTX S28, LPF: 60Hz	S28 60	S28 60	S28 60	S28 60
VTX S28 60 REAR	13	VTX S28, LPF: 60Hz, Rear Firing for Cardioid	S28 60 REAR	S28 60 REAR	S28 60 REAR	S28 60 REAR
VTX S28 80	14	VTX S28, LPF: 80Hz	S28 80	S28 80	S28 80	S28 80
VTX S28 80 REAR	15	VTX S28, LPF: 80Hz, Rear Firing for Cardioid	S28 80 REAR	S28 80 REAR	S28 80 REAR	S28 80 REAR
VTX G28						
VTX G28 60	17	VTX G28, LPF: 60Hz	G28 60	G28 60	G28 60	G28 60
VTX G28 60 REAR	18	VTX G28, LPF: 60Hz, Rear Firing for Cardioid	G28 60 REAR	G28 60 REAR	G28 60 REAR	G28 60 REAR
VTX G28 80	19	VTX G28, LPF: 80Hz	G28 80	G28 80	G28 80	G28 80
VTX G28 80 REAR	20	VTX G28, LPF: 80Hz, Rear Firing for Cardioid	G28 80 REAR	G28 80 REAR	G28 80 REAR	G28 80 REAR

Crown Audio I-Tech 1 2000HD

Device File: VTX A12 R1.2.0.ITECHHD.Device



			CH 1	CH 2
VTX A12 FILL Presets				
VTX A12 FL MF/HF	2	VTX A12 Fill, Full Range, MF HF	A12 MF FL	A12 HF FL
VTX A12 FL LF/LF	3	VTX A12 Fill, Full Range, LF/LF	A12 LF FL	A12 LF FL
VTX A12 FL 80 MF/HF	4	VTX A12 Fill, HPF: 80Hz, MF/HF	A12 MF FL 80	A12 HF FL 80
VTX A12 FL 80 LF/LF	5	VTX A12 Fill, HPF: 80Hz, LF/LF	A12 LF FL 80	A12 LF FL 80
VTX A12W FL MF/HF	6	VTX A12W Fill, Full Range, MF HF	A12W MF FL	A12W HF FL
VTX A12W FL LF/LF	7	VTX A12W Fill, Full Range, LF/LF	A12W LF FL	A12W LF FL
VTX A12W FL 80 MF/HF	8	VTX A12W Fill, HPF: 80Hz, MF/HF	A12W MF FL 80	A12W HF FL 80
VTX A12W FL 80 LF/LF	9	VTX A12W Fill, HPF: 80Hz, LF/LF	A12W LF FL 80	A12W LF FL 80
VTX A12				
VTX A12 MF/HF	11	VTX A12, Full Range, MF/HF	A12 MF	A12 HF
VTX A12 LF/LF	12	VTX A12, Full Range, LF/LF	A12 LF	A12 LF
VTX A12 80 MF/HF	13	VTX A12, HPF: 80Hz, MF/HF	A12 MF 80	A12 HF 80
VTX A12 80 LF/LF	14	VTX A12, HPF: 80Hz, LF/LF	A12 LF 80	A12 LF 80
VTX A12W MF/HF	15	VTX A12W, Full Range, MF/HF	A12W MF	A12W HF
VTX A12W LF/LF	16	VTX A12W, Full Range, LF/LF	A12W LF	A12W LF
VTX A12W 80 MF/HF	17	VTX A12W, HPF: 80Hz, MF/HF	A12W MF 80	A12W HF 80
VTX A12W 80 LF/LF	18	VTX A12W, HPF: 80Hz, LF/LF	A12W LF 80	A12W LF 80
VTX S28				
VTX S28 60	20	VTX S28, LPF: 60Hz	S28 60	S28 60
VTX S28 60 REAR	21	VTX S28, LPF: 60Hz, Rear Firing for Cardioid	S28 60 REAR	S28 60 REAR
VTX S28 80	22	VTX S28, LPF: 80Hz	S28 80	S28 80
VTX S28 80 REAR	23	VTX S28, LPF: 80Hz, Rear Firing for Cardioid	S28 80 REAR	S28 80 REAR
VTX G28				
VTX G28 60	25	VTX G28, LPF: 60Hz	G28 60	G28 60
VTX G28 60 REAR	26	VTX G28, LPF: 60Hz, Rear Firing for Cardioid	G28 60 REAR	G28 60 REAR
VTX G28 80	27	VTX G28, LPF: 80Hz	G28 80	G28 80
VTX G28 80 REAR	28	VTX G28, LPF: 80Hz, Rear Firing for Cardioid	G28 80 REAR	G28 80 REAR