



VERTEC VT4888 V5 R1 PRESETS

Crown I-Tech 12000HD (26 dB Gain, 96 kHz)



DEVICE FILE: VERTEC VT4888 V5 R1.I-Tech HD Series.Device

VT4888 SHORT THROW		PRESET	DESCRIPTION	CH 1	CH 2
HF / HF VT4888 ST		2	VT4888 High Section Processing; Short Throw Mode (nominal flat HF)	VT4888 HF ST	VT4888 HF ST
MF / MF VT4888 ST		3	VT4888 Mid Section Processing	VT4888 MF ST	VT4888 MF ST
MF / HF VT4888 ST		4	VT4888 Mid / High Section Short Throw Mode (nominal flat HF) Processing	VT4888 MF ST	VT4888 HF ST
HF / MF VT4888 ST		5	VT4888 High Short Throw Mode (nominal flat HF) / Mid Section Processing	VT4888 HF ST	VT4888 MF ST
LF / LF X VT4888 ST		6	VT4888 Low Section Processing: X Mode (nominal flat LF)	VT4888 LF X ST	VT4888 LF X ST
LF / LF 60 VT4888 ST		7	VT4888 Low Section Processing: 60 Hz HPF (nominal flat LF)	VT4888 LF 60 ST	VT4888 LF 60 ST
LF / LF 80 VT4888 ST		8	VT4888 Low Section Processing: 80 Hz HPF (nominal flat LF)	VT4888 LF 80 ST	VT4888 LF 80 ST

VT4888 LONG THROW		PRESET	DESCRIPTION	CH 1	CH 2
HF / HF VT4888 LT		10	VT4888 High Section Processing; Long Throw Mode (HF shelf)	VT4888 HF LT	VT4888 HF LT
MF / MF VT4888 LT		11	VT4888 Mid Section Processing	VT4888 MF LT	VT4888 MF LT
MF / HF VT4888 LT		12	VT4888 Mid / High Section Long Throw Mode (HF shelf) Processing	VT4888 MF LT	VT4888 HF LT
HF / MF VT4888 LT		13	VT4888 High Long Throw Mode (HF shelf) / Mid Section Processing	VT4888 HF LT	VT4888 MF LT
LF / LF X VT4888 LT		14	VT4888 Low Section Processing: X Mode (with LF shelving)	VT4888 LF X LT	VT4888 LF X LT
LF / LF 60 VT4888 LT		15	VT4888 Low Section Processing: 60 Hz HPF (with LF shelving)	VT4888 LF 60 LT	VT4888 LF 60 LT
LF / LF 80 VT4888 LT		16	VT4888 Low Section Processing: 80 Hz HPF (with LF shelving)	VT4888 LF 80 LT	VT4888 LF 80 LT

VT4882 FRONT-FIRING		PRESET	DESCRIPTION	CH 1	CH 2
SUB / SUB VT4882 VT4888 X		17	VT4882 X Mode (24-80 Hz; Inverted Polarity)	VT4882 X	VT4882 X
SUB / SUB VT4882 VT4888 60		18	VT4882 60 Hz LPF	VT4882 60	VT4882 60
SUB / SUB VT4882 VT4888 80		19	VT4882 80 Hz LPF	VT4882 80	VT4882 80

VT4882 REAR-FIRING CARDIOID		CARDIOID CONFIGURATION 1 = FRONT-FIRING / REAR-FIRING / FRONT-FIRING SUBS ON END (HORIZONTAL)			
SUB / SUB 4882 4888 CARDIOID X		20	VT4882 X Mode ; Rear-Firing Cardioid C1	VT4882 C1 X	VT4882 C1 X
SUB / SUB 4882 4888 CARDIOID 60		21	VT4882 60 Hz LPF ; Rear-Firing Cardioid C1	VT4882 C1 60	VT4882 C1 60
SUB / SUB 4882 4888 CARDIOID 80		22	VT4882 80 Hz LPF ; Rear-Firing Cardioid C1	VT4882 C1 80	VT4882 C1 80

VT4880 FRONT-FIRING		PRESET	DESCRIPTION	CH 1	CH 2
SUB / SUB VT4880 VT4888 X		24	VT4880 X Mode (24-80 Hz; Inverted Polarity)	VT4880 X	VT4880 X
SUB / SUB VT4880 VT4888 60		25	VT4880 60 Hz LPF	VT4880 60	VT4880 60
SUB / SUB VT4880 VT4888 80		26	VT4880 80 Hz LPF	VT4880 80	VT4880 80

VT4880 REAR-FIRING CARDIOID		CARDIOID CONFIGURATION 1 = FRONT-FIRING / REAR-FIRING / FRONT-FIRING SUBS ON END (HORIZONTAL)			
SUB / SUB 4880 4888 CARDIOID X		27	VT4880 X Mode ; Rear-Firing Cardioid C1	VT4880 C1 X	VT4880 C1 X
SUB / SUB 4880 4888 CARDIOID 60		28	VT4880 60 Hz LPF ; Rear-Firing Cardioid C1	VT4880 C1 60	VT4880 C1 60
SUB / SUB 4880 4888 CARDIOID 80		29	VT4880 80 Hz LPF ; Rear-Firing Cardioid C1	VT4880 C1 80	VT4880 C1 80

VT4880A FRONT-FIRING		PRESET	DESCRIPTION	CH 1	CH 2
SUB / SUB VT4880A VT4888 X		31	VT4880A X Mode (24-80 Hz; Inverted Polarity)	VT4880A X	VT4880A X
SUB / SUB VT4880A VT4888 60		32	VT4880A 60 Hz LPF	VT4880A 60	VT4880A 60
SUB / SUB VT4880A VT4888 80		33	VT4880A 80 Hz LPF	VT4880A 80	VT4880A 80

VT4880A REAR-FIRING CARDIOID		CARDIOID CONFIGURATION 1 = FRONT-FIRING / REAR-FIRING / FRONT-FIRING SUBS ON END (HORIZONTAL)			
SUB / SUB 4880A 4888 CARDIOID X		34	VT4880A X Mode ; Rear-Firing Cardioid C1	VT4880A C1 X	VT4880A C1 X
SUB / SUB 4880A 4888 CARDIOID 60		35	VT4880A 60 Hz LPF ; Rear-Firing Cardioid C1	VT4880A C1 60	VT4880A C1 60
SUB / SUB 4880A 4888 CARDIOID 80		36	VT4880A 80 Hz LPF ; Rear-Firing Cardioid C1	VT4880A C1 80	VT4880A C1 80

VTX S28 FRONT-FIRING		PRESET	DESCRIPTION	CH 1	CH 2
SUB / SUB S28 VT4888 X		38	VTX S28 X Mode (24-80 Hz; Inverted Polarity)	VTX S28 X	VTX S28 X
SUB / SUB S28 VT4888 60		39	VTX S28 60 Hz LPF	VTX S28 60	VTX S28 60
SUB / SUB S28 VT4888 80		40	VTX S28 80 Hz LPF	VTX S28 80	VTX S28 80

VTX S28 REAR-FIRING CARDIOID		CARDIOID CONFIGURATION 1 = FRONT-FIRING / REAR-FIRING / FRONT-FIRING SUBS ON END (HORIZONTAL)			
SUB / SUB S28 VT4888 CARDIOID X		41	VTX S28 X Mode ; Rear-Firing Cardioid C1	VTX S28 C1 X	VTX S28 C1 X
SUB / SUB S28 VT4888 CARDIOID 60		42	VTX S28 60 Hz LPF ; Rear-Firing Cardioid C1	VTX S28 C1 60	VTX S28 C1 60
SUB / SUB S28 VT4888 CARDIOID 80		43	VTX S28 80 Hz LPF ; Rear-Firing Cardioid C1	VTX S28 C1 80	VTX S28 C1 80

VTX G28 FRONT-FIRING		PRESET	DESCRIPTION	CH 1	CH 2
SUB / SUB G28 VT4888 X		45	VTX G28 X Mode (24-80 Hz; Inverted Polarity)	VTX G28 X	VTX G28 X
SUB / SUB G28 VT4888 60		46	VTX G28 60 Hz LPF	VTX G28 60	VTX G28 60
SUB / SUB G28 VT4888 80		47	VTX G28 80 Hz LPF	VTX G28 80	VTX G28 80

VTX G28 REAR-FIRING CARDIOID		CARDIOID CONFIGURATION 1 = FRONT-FIRING / REAR-FIRING / FRONT-FIRING SUBS ON END (HORIZONTAL)			
SUB / SUB G28 VT4888 CARDIOID X		48	VTX G28 X Mode ; Rear-Firing Cardioid C1	VTX G28 C1 X	VTX G28 C1 X
SUB / SUB G28 VT4888 CARDIOID 60		49	VTX G28 60 Hz LPF ; Rear-Firing Cardioid C1	VTX G28 C1 60	VTX G28 C1 60
SUB / SUB G28 VT4888 CARDIOID 80		50	VTX G28 80 Hz LPF ; Rear-Firing Cardioid C1	VTX G28 C1 80	VTX G28 C1 80